

# R-S1-4ALL 4ALL UNIVERSAL NYLON PLUG



High performance nylon plug for all types of substrates

## PACKAGING

### FEATURES AND BENEFITS

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.

Depending on the product type, and its weight in particular, the Rawlplug comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs



A (mm)  
65 X 130

B (mm)  
80 X 145

C (mm)  
95 X 165

D (mm)  
95 X 220

E (mm)  
145 X 220

F (mm)  
145 X 290



# PRODUCT

## FEATURES AND BENEFITS

---

Unique internal design provides positive grip for screws

---

Anti-rotational lugs promote grip in wide range of substrates including soft masonry materials.

---

Rib detail at plug head provides added grip.


---

Expanding section designed to collapse in hollow materials and provide positive grip behind surfaces.

---

Unique 4 way expansion allowing application in any substrate material and type.

---



## BASE MATERIALS



Concrete

---



Solid Brick

---



Solid Sand-lime Brick

---



Vertically-perforated Clay Block

---



Hollow Sand-lime Brick

---



Aerated Concrete Block

---



Plasterboard

---



Hollow-core Slab

---

## APPLICATIONS

---

Lighting

---

Wall cabinets

---

Wardrobes

---

Letterboxes

---

TV brackets

---

Bathroom fittings

---


Electrical fittings

---

Shelves

---

## PRODUCT COMMERCIAL DATA



Product Code	Diameter	Length	Quantity	Quantity		Bar Codes
	[mm]	[mm]		Box	Outer	
R-S1-4ALL-10/8	10	50	8	5	25	5906675064253
R-S1-4ALL-05/100	5	25	100	5	25	5906675093116
R-S1-4ALL-05/26	5	25	26	5	30	5906675064185
R-S1-4ALL-05+/20	5	25	20	5	30	5906675064208
R-S1-4ALL-05+/40				5	25	5906675093123
R-S1-4ALL-05K/12				5	30	5906675093130
R-S1-4ALL-05S/12				5	30	5906675093147
R-S1-4ALL-06/20	6	30	20	5	30	5906675064215
R-S1-4ALL-06/80	6	30	20	5	25	5906675093154
R-S1-4ALL-06+/30	6	30		5	25	5906675093161
R-S1-4ALL-06K/10				5	30	5906675093178
R-S1-4ALL-06S/10				5	30	5906675093185
R-S1-4ALL-08/14	8	40	14	5	25	5906675064239
R-S1-4ALL-08/20	8	40	20	5	25	5906675093192
R-S1-4ALL-08/60	8	40	60	5	20	5906675093208
R-S1-4ALL-08+/10	8	40	10	5	25	5906675064246
R-S1-4ALL-08K/8				5	30	5906675093215
R-S1-4ALL-08S/8	8	40	8	5	30	5906675093222
R-S1-4ALL-10/12				5	25	5906675093239
R-S1-4ALL-10/25	10	50	25	5	15	5906675093246
R-S1-4ALL-10+/10				5	25	5906675093253
R-S1-4ALL-10+/8	10	50	8	5	25	5906675064260
R-S1-4ALL-10SK/4				5	25	5906675093260
R-S1-4ALL-12/100/4				5	25	5906675310114
R-S1-4ALL-12/6				5	25	5906675310107
R-S1-4ALL-12/80/4				5	25	5906675310121
R-S1-4ALL-14/100/2				5	25	5906675310145
R-S1-4ALL-14/4				5	25	5906675310138