

# R-S1-FX FX-N-L NYLON HAMMER-IN FIXING WITH COUNTERSUNK HEAD



The hammer fixing for fast, simple, cost-effective installations.

## PACKAGING

### FEATURES AND BENEFITS

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.

Depending on the product type, and its weight in particular, the Rawlplug comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs



A	(mm)	B	(mm)	C	(mm)	D	(mm)	E	(mm)	F	(mm)
	65 X 130		80 X 145		95 X 165		95 X 220		145 X 220		145 X 290



# PRODUCT

## FEATURES AND BENEFITS

Rapid hammer-set installation reduces the time required and allows for cost-effective, high-volume installation.

Cylinder head prevents plug slipping into over-sized holes and allows fix thin elements

Combination of PZ recess and the helical thread makes removal of the nail possible, facilitating disassembly when necessary.

The extensive range of product lengths, diameters and head types ensures availability of the correct fixing for every scenario.

Designed for push-through installation.



## BASE MATERIALS



Concrete



Solid Brick



Solid Sand-lime Brick



Hollow Sand-lime Brick



Lightweight Concrete Block



Hollow Lightweight Concrete Block



Aerated Concrete Block

## APPLICATIONS

Timber or metal battens

Drywall structures

Skirting / Dado railing

Cable clamps

Pipe clamps

Sheeting

## PRODUCT COMMERCIAL DATA



Product Code	Diameter	Length	Quantity	Quantity		Bar Codes
	[mm]	[mm]		Box	Outer	
R-S1-FX-N06L060/20	6	60	20	5	20	5010445215520
R-S1-FX-N05C035/10				5	25	5906675093772
R-S1-FX-N05L040/10				5	30	5906675093789
R-S1-FX-N05L050/16				5	25	5010445214523
R-S1-FX-N06C040/10				5	30	5906675093796
R-S1-FX-N06C040/20				5	25	5906675093802
R-S1-FX-N06C060/16				5	25	5906675093819
R-S1-FX-N06K040/10				5	30	5906675093826
R-S1-FX-N06K040/20	6	40	20	5	25	5906675093833
R-S1-FX-N06K060/10	6	60	10	5	30	5906675093840
R-S1-FX-N06K060/16				5	25	5906675093857
R-S1-FX-N06K060/20	6	60	20	5	20	5906675093864
R-S1-FX-N06L040/10	6	40	10	5	30	5906675093871
R-S1-FX-N06L040/16	6	40	16	5	25	5906675064178
R-S1-FX-N06L040/20				5	25	5906675093888
R-S1-FX-N06L060/10	6	60	10	5	30	5010445214608
R-S1-FX-N06L060/16				5	25	5906675142623
R-S1-FX-N06L060-12				5	30	5906675071411
R-S1-FX-N06L080/10				5	25	5906675093895
R-S1-FX-N08L060/10	8	60	10	5	25	5906675093901
R-S1-FX-N08L060/20	8	60	20	5	15	5906675093918
R-S1-FX-N08L080/10	8	80	10	5	25	5010445214707
R-S1-FX-N08L080/16				5	20	5906675093925
R-S1-FX-N08L080/20	8	80	20	5	10	5010445215544
R-S1-FX-N08L080-12				5	20	5906675071435
R-S1-FX-N08L100/10	8	100	10	5	20	5010445214806
R-S1-FX-N08L100/20	8	100	20	5	10	5010445215568
R-S1-FX-N08L100-12				5	20	5906675071442
R-S1-FX-N08L120/10	8	120	10	5	20	5010445214905
R-S1-FX-N08L120/12				5	20	5906675071459
R-S1-FX-N08L120/20	8	120	20	5	5	5010445215582
R-S1-FX-N08L140/6				5	20	5906675093932
R-S1-FX-N08L160/6				5	20	5906675093949