

# R-S1-FX FX-N-L NYLON HAMMER-IN FIXING WITH COUNTERSUNK HEAD



The hammer fixing for fast, simple, cost-effective installations.

## PACKAGING

### FEATURES AND BENEFITS

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.

Depending on the product type, and its weight in particular, the Rawlplug comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs



<b>A</b>	(mm)	<b>B</b>	(mm)	<b>C</b>	(mm)	<b>D</b>	(mm)	<b>E</b>	(mm)	<b>F</b>	(mm)
65 X 130		80 X 145		95 X 165		95 X 220		145 X 220		145 X 290	



# PRODUCT

## FEATURES AND BENEFITS

---

Rapid hammer-set installation reduces the time required and allows for cost-effective, high-volume installation.

---

Cylinder head prevents plug slipping into over-sized holes and allows fix thin elements

---

Combination of PZ recess and the helical thread makes removal of the nail possible, facilitating disassembly when necessary.

---

The extensive range of product lengths, diameters and head types ensures availability of the correct fixing for every scenario.

---

Designed for push-through installation.

---



## BASE MATERIALS



Concrete

---



Solid Brick

---



Solid Sand-lime Brick

---



Hollow Sand-lime Brick



Lightweight Concrete Block

---



Hollow Lightweight Concrete Block

---



Aerated Concrete Block

## APPLICATIONS

---

Timber or metal battens

---

Drywall structures

---

Skirting / Dado railing

---

Cable clamps

---

Pipe clamps

---

Sheeting

---

## PRODUCT COMMERCIAL DATA



Product Code	Diameter	Length	Quantity	Quantity		Bar Codes
	[mm]	[mm]		Box	Outer	
R-S1-FX-N08L120/10	8	120	10	5	20	5010445214905
R-S1-FX-N05C035/10				5	25	5906675093772
R-S1-FX-N05L040/10				5	30	5906675093789
R-S1-FX-N05L050/16				5	25	5010445214523
R-S1-FX-N06C040/10				5	30	5906675093796
R-S1-FX-N06C040/20				5	25	5906675093802
R-S1-FX-N06C060/16				5	25	5906675093819
R-S1-FX-N06K040/10				5	30	5906675093826
R-S1-FX-N06K040/20	6	40	20	5	25	5906675093833
R-S1-FX-N06K060/10	6	60	10	5	30	5906675093840
R-S1-FX-N06K060/16				5	25	5906675093857
R-S1-FX-N06K060/20	6	60	20	5	20	5906675093864
R-S1-FX-N06L040/10	6	40	10	5	30	5906675093871
R-S1-FX-N06L040/16	6	40	16	5	25	5906675064178
R-S1-FX-N06L040/20				5	25	5906675093888
R-S1-FX-N06L060/10	6	60	10	5	30	5010445214608
R-S1-FX-N06L060/16				5	25	5906675142623
R-S1-FX-N06L060/20	6	60	20	5	20	5010445215520
R-S1-FX-N06L060-12				5	30	5906675071411
R-S1-FX-N06L080/10				5	25	5906675093895
R-S1-FX-N08L060/10	8	60	10	5	25	5906675093901
R-S1-FX-N08L060/20	8	60	20	5	15	5906675093918
R-S1-FX-N08L080/10	8	80	10	5	25	5010445214707
R-S1-FX-N08L080/16				5	20	5906675093925
R-S1-FX-N08L080/20	8	80	20	5	10	5010445215544
R-S1-FX-N08L080-12				5	20	5906675071435
R-S1-FX-N08L100/10	8	100	10	5	20	5010445214806
R-S1-FX-N08L100/20	8	100	20	5	10	5010445215568
R-S1-FX-N08L100-12				5	20	5906675071442
R-S1-FX-N08L120/12				5	20	5906675071459
R-S1-FX-N08L120/20	8	120	20	5	5	5010445215582
R-S1-FX-N08L140/6				5	20	5906675093932
R-S1-FX-N08L160/6				5	20	5906675093949