

R-S1-SPO SPRING TOGGLE



Self-acting anchor

PACKAGING

FEATURES AND BENEFITS

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.


Depending on the product type, and its weight in particular, the Rawlplug comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs



| A | (mm) | B | (mm) | C | (mm) | D | (mm) | E | (mm) | F | (mm) |
|---|----------|---|----------|---|----------|---|----------|---|-----------|---|-----------|
| | 65 X 130 | | 80 X 145 | | 95 X 165 | | 95 X 220 | | 145 X 220 | | 145 X 290 |





PRODUCT

FEATURES AND BENEFITS

Long screw of the toggle fixing allows use in boards of various thicknesses and with thick attachments, offering maximum flexibility.

Wide transition beams ensure a good load distribution allowing high load-bearing capacity

Allows easy installation for fastenings behind thick panels in very flat cavities.

Self-acting anchor with easy installation.

Suitable for overhead applications



BASE MATERIALS



Plasterboard



Chipboard



Oriented Strand Board



PVC Profile

APPLICATIONS

Light shelving

Brackets, grips and hooks

Paintings

Lamps


Lighting

Mirrors

Shelves

Other decorative elements

PRODUCT COMMERCIAL DATA



| Product Code | Quantity | | Bar Codes | |
|-----------------|----------|-----|-----------|---------------|
| | [pcs] | Box | | Outer |
| R-S1-SPO3050/6 | 6 | 5 | 25 | 5010445943652 |
| R-S1-SPO3050/20 | | 10 | 20 | 5906675265834 |
| R-S1-SPO5050/20 | 20 | 5 | 10 | 5906675265841 |
| R-S1-SPO5050/6 | | 5 | 25 | 5010445943690 |
| R-S1-SPO5080/20 | 20 | 5 | 10 | 5906675265858 |
| R-S1-SPO5080/6 | 6 | 5 | 25 | 5010445943713 |
| R-S1-SPO6060/20 | | 5 | 10 | 5906675310039 |
| R-S1-SPO6080/20 | 20 | 5 | 10 | 5906675265865 |
| R-S1-SPO6080/6 | | 5 | 25 | 5906675094939 |