

# R-S1-XPT R-XPT THROUGHBOLT



Throughbolt for non-cracked concrete

## PACKAGING

### FEATURES AND BENEFITS

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.

Depending on the product type, and its weight in particular, the Rawlplug comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs



A (mm)  
65 X 130

B (mm)  
80 X 145

C (mm)  
95 X 165

D (mm)  
95 X 220

E (mm)  
145 X 220

F (mm)  
145 X 290





# PRODUCT

## FEATURES AND BENEFITS

High performance in non-cracked concrete confirmed by ETA Option 7

High quality with cost effectiveness

Suitable for reduced embedment to avoid contact with reinforcement

Embedment depth markings help to ensure precise installation of the anchor

Design allows drilling and installing directly through the fixture and helps to reduce installation effort



## BASE MATERIALS



Non-cracked concrete  
C20/25-C50/60



Unreinforced concrete



Reinforced concrete



Concrete



Natural Stone (after site testing)

## APPLICATIONS

Cladding restraint

Curtain wall

Balustrading

Barriers

Handrails

Racking

Structural steel

Bollards

## PRODUCT COMMERCIAL DATA



Product Code	Quantity		Bar Codes	
	[pcs]	Box		Outer
R-S1-XPT12100/4	4	5	20	5906675064130
R-S1-XPT06050/4		5	30	5906675095745
R-S1-XPT06065/6		5	25	5906675095752
R-S1-XPT06085/4		5	30	5906675095769
R-S1-XPT06100/6		5	25	5906675095776
R-S1-XPT08060/4		5	30	5906675095783
R-S1-XPT08065/8		5	20	5906675095790
R-S1-XPT08075/4		5	30	5906675095806
R-S1-XPT08075/6		5	25	5906675095813
R-S1-XPT08075/8	8	5	20	5906675064109
R-S1-XPT08095/4		5	30	5906675095820
R-S1-XPT08095/8		5	20	5906675095837
R-S1-XPT08115/4		5	20	5906675095844
R-S1-XPT08140/4		5	20	5906675095851
R-S1-XPT10065/6		5	25	5906675095868
R-S1-XPT10065/8		5	20	5906675095875
R-S1-XPT10080/4		5	25	5906675095882
R-S1-XPT10080/6	6	5	10	5906675064116
R-S1-XPT10095/4		5	25	5906675095899
R-S1-XPT10095/8		5	20	5906675095905
R-S1-XPT10115/4		5	20	5906675095912
R-S1-XPT10140/4		5	20	5906675095929
R-S1-XPT12100/2		5	25	5906675095936
R-S1-XPT12125/2		5	20	5906675095943
R-S1-XPT12150/2		5	20	5906675095950
R-S1-XPT12150/4		5	10	5906675095967
R-S1-XPT16105/2		5	20	5906675321363
R-S1-XPT16150/2		5	20	5906675321356
R-S1-XPT-A406050/4		5	30	5906675095974
R-S1-XPT-A406085/4		5	30	5906675095981
R-S1-XPT-A408060/4		5	30	5906675095998
R-S1-XPT-A408075/4		5	30	5906675096001
R-S1-XPT-A408075/6		5	25	5906675096018
R-S1-XPT-A408095/4		5	30	5906675096032
R-S1-XPT-A408115/4		5	20	5906675096049
R-S1-XPT-A410065/4		5	25	5906675096056
R-S1-XPT-A410080/4		5	25	5906675096063
R-S1-XPT-A410095/4		5	25	5906675096070
R-S1-XPT-A410095/6		5	20	5906675096087
R-S1-XPT-A410140/4		5	20	5906675096094
R-S1-XPT-A412100/2		5	25	5906675096100
R-S1-XPT-A412100/4		5	20	5906675096117
R-S1-XPT-A412125/2		5	20	5906675096131