

# R-PID18-XL2 Cordless RawlWrench 18V 210Nm, set

Impact driver 18V with a torque of 210 Nm and multi-head holder allows you to work with bits and sockets



## Certificate



## Product information

### Features and benefits

- Multihead tool holder - 1/4" hexagonal shank for bits and 1/2" square for sockets provides broad usability of the power tool
- Electronic adjustable torque range to match power tool parameters for a specific application
- Powerful brushless motor ensures high efficiency of the mechanism and increases the life time of the power tool
- Auto Stop Control ASC, torque cut off mode prevents damage to the material surface during screwing
- Rubberised, profiled handle increases grip and user ergonomics
- Electronic protection stop system engages during jamming to protect the user and th

### Applications

- Timber constructions: Screwing screws up to Ø 14 mm
- Metal constructions: Assembly of metric screws (up to M14)
- Installation of R-LX concrete screws up to Ø 8 mm

### Corresponding products

- R-PTX Construction screw with countersunk head and partial thread
- R-DSX-A2 Stainless steel decking screws
- RT-IBIT-T T type impact screw-driver bits

### Base materials

- Concrete
- Reinforced concrete
- Solid Brick
- High-Density Natural Stone
- Stainless Steel
- Timber

### Set includes

- R-ID-1801B Impact wrench
- 2 x R-BAT-185001 Battery 18V 5.0Ah
- R-CHR-186501 Charger 18V 6.5A
- R-RC-4414 RawlCase system box
- Manual user instructions



## Product commercial data

| Index          | Battery voltage | Battery capacity | Number of batteries included | Charging time | Max. torque | Tool holder     | Rotational speed    | Impact frequency     | Maximum bolt size | Box weight | Outer weight | EAN            |
|----------------|-----------------|------------------|------------------------------|---------------|-------------|-----------------|---------------------|----------------------|-------------------|------------|--------------|----------------|
|                | [V]             | [Ah]             | [pcs]                        | [min]         | [Nm]        |                 | [r/min]             | [bpm]                |                   | [kg]       | [kg]         |                |
| R-PID18-XL2-UK | 18              | 5,0              | 2                            | 50            | 210         | 1/4" HEX / 1/2" | 0-110 / 2600 / 3200 | 0-1200 / 2700 / 3800 | M14               | 5.09       | 5.09         | 59066754 78258 |