

# R-DRS Ring collated stainless steel nails with fuel cells

Ring shank Stainless steel nails for timber framing, roofing and wooden facades installation



## Certificate



## Product information

### Features and benefits

- 34° angle collation with a clipped head ensures the nail is compatible with all leading manufactures tools
- Special coating at the base of the shank improves the drive of the nail and ensures a secure fixing
- Diamond point prevents the timber from splitting
- Waxed paper collation avoids deterioration in wet conditions
- [English]: łączenie taśmą plastikową
- A2 Stainless steel ensures the highest corrosion protection
- Depending on the quantity of nails box contains 1,2 or 3 fuel cells

### Applications


- Timber frame stud work in timber framing industry
- Installation of battens and sheathing in roof construction
- Installation of soffits and other roof finishing elements
- Installation of wooden facades

### Corresponding products

- R-RAWL-WW90CH Gas powered framing nailer

### Base materials

- Timber
- Plywood
- Chipboard
- Wood



## Product commercial data

Index	Fastener diameter	Length	Head type	Shank type	Finish	Protection	Collation	Fasteners per strip	Carton quantity	Fuel cells per carton	Box weight	Outer weight	EAN
	[mm]	[mm]						[pcs]	[pcs]	[pcs]	kg	kg	
R-DRS-2863	2.8	63	Clipped head	Ring	Stainless Steel -A2	Full protection	34° paper laminated	44	3300	3	10.55	10.55	5906675023380
R-DRS-2851	2.8	51	Clipped head	Ring	Stainless Steel -A2	Full protection	34° paper laminated	44	3300	3	9.32	9.32	5906675023373