MN-93-038 Angle grinder 125 mm, 1200 W

Versatile two-handed angle grinder 1200 W for discs 125 mm with variable speed



Certificates (icon):

RED PLUG EXCLUSIVE SERVICE

CE

Features & benefits

- Powerful two-handed grinder with a 1200 W motor is suitable for heavy-duty applications and longer works
- 125 mm wheels are a universal combination of good cutting depth and convenient size
- Side handle mountable in 3 positions ensures better grip, increased safety and more ergonomic and precise operation
- Rotational speed adjustment allows the user to set parameters of operation appropriate to the work being performed
- Keyless mounting of the wheel guard allows its position to be quickly changed without any additional tools
- Ergonomic two-handed design with a rubberized anti-slip handle ensures comfort of operation and user safety
- On/off switch with protection against unintended restarting ensures safety of operation
- Easily accessible brushes can be replaced by the user
- A 3 m long cable provides the user freedom of operation without the need to move the power source
- **Red Plug Service** guarantees quick repair of a broken tool though free courier shipment from and to the customer

Applications

- Intended for cutting various materials depending on the disc used
- Intended for grinding various materials depending on the disc used
- Intended for polishing various types of surfaces (e.g. metal, plastic or coated surfaces) at the minimum speed

Equipment

- Pin face spanner for changing wheels
- Side handle
- Set of additional motor brushes (easy replacement by the user possible)

Users

- Locksmiths
- Fitters
- Tilers
- DIY enthusiasts
- Reinforcers

Corresponding products

- MN-65-75 Circular chain saw
  - MN-65-751
- MN-68-90 Flap discs depressed centre for steel cutting
  - MN-68-902
- MN-68-96 Thin flap discs for steel cutting
  - MN-68-962
- MN-68-91 Flap discs for stainless steel cutting
  - MN-68-912
  - MN-68-917
- MN-68-93 Flap discs for aluminium cutting
  - MN-68-932
- MN-68-92 Discs depressed centre for steel grinding
  - MN-68-922
- MN-68-94 Discs depressed centre for concrete cutting
  - MN-68-942
- MN-68-95 Discs depressed centre for stone grinding
  - MN-68-952
- MN-68-97 Thin flap discs for stainless steel cutting
  - MN-68-971
- MN-78-13 Segmented diamond blades
  - MN-78-133
- MN-78-31 Turbo diamond blades with segmented rim
  - MN-78-313
- MN-78-11 Uran segmented diamond blades
  - MN-78-113
- MN-78-10 Saturn segmented diamond blades
  - MN-78-103
- MN-78-30 Turbo Jupiter diamond blades
  - MN-78-303
- MN-78-21 Diamond blades with continuous rim for angle grinders
  - MN-78-213
- MN-78-20 Mars Diamond blades with continuous rim
  - MN-78-203
- MN-78-411 Diamond blade for grinding
  - MN-78-411
- MN-78-412 Diamond blade for grinding
  - MN-78-412
- MN-78-413 Diamond blade for grinding
  - MN-78-413
- MN-68-81 Abrasive flap discs

Technical properties

Index	Power	Box	Outer	Box weight	Outer weight	EAN
	[W]	[pcs]	[pcs]	[kg]	[kg]	
MN-93-038	1200	1	6	2.9	17.6	5906675345109

power	1200 W
disc diameter	**ø 125 mm**
blade bore	**22,2 mm**
speed	**4000 - 12 000 r/min**
cord length	**3 m**

Warnings

- Always use eye protection
- Always use gloves
- Always use ear protection
- Always use dust mask
- Read user manual
- USER'S MANUAL. Always follow safety instructions contained in the user's manual and applicable health and safety at work regulations. The failure to comply with warnings and recommendations contained therein may result in electric shock, fire, serious injuries and even death. Read and understand the user's manual carefully and keep it for future reference